Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:	148 and 158	
Display:	Documents in <u>Display Format</u> : Starting with Number 1	
Generate:	○ Hit List ● Hit Count ○ Side by Side ○ Image Search Clear Interrupt	
	Search History	

DATE: Monday, February 20, 2006 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB =	DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L61</u>	148 and 158	28	<u>L61</u>
<u>L60</u>	@pd<20000720 and L59	0	<u>L60</u>
<u>L59</u>	155 and L58	51	<u>L59</u>
<u>L58</u>	bean near container	391	<u>L58</u>
<u>L57</u>	@pd<20000720 and L56	0	<u>L57</u>
<u>L56</u>	154 and L55	54	<u>L56</u>
<u>L55</u>	13 or 126	39129	<u>L55</u>
<u>L54</u>	(ejb or java near bean).ti,ab.	442	<u>L54</u>
<u>L53</u>	(719/315 719/316 719/328).ccls.	2327	<u>L53</u>
<u>L52</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).ccls.	28364	<u>L52</u>
<u>L51</u>	business adj (method or function) near code	12	<u>L51</u>
<u>L50</u>	L47 and L48	20	<u>L50</u>
<u>L49</u>	L47 and L48	20	<u>L49</u>

<u>L48</u>	return\$5 near (pointer or handle or reference)	15484	<u>L48</u>
<u>L47</u>	(ejb or bean) and limited adj resources	106	<u>L47</u>
<u>L46</u>	bean with limited adj resources	0	<u>L46</u>
<u>L45</u>	@pd<2000720 and L44	0	<u>L45</u>
<u>L44</u>	L42 and L43	130	<u>L44</u>
<u>L43</u>	bean or ejb	123093	<u>L43</u>
<u>L42</u>	((invocat\$3 or invok\$4) near direct\$2)	1210	<u>L42</u>
<u>L41</u>	return\$5 near (pointer or handle or reference) with functional	24	<u>L41</u>
<u>L40</u>	6629128.pn.	2	<u>L40</u>
<u>L39</u>	return\$5 near (pointer or handle or reference) with bean	10	<u>L39</u>
<u>L38</u>	model\$5 near business adj function	12	<u>L38</u>
<u>L37</u>	bean and L36	28	<u>L37</u>
<u>L36</u>	map\$4 near ((function or procedure) and object)	610	<u>L36</u>
<u>L35</u>	map\$4 near ((function or procedure) and object) with resources	0	<u>L35</u>
<u>L34</u>	(ejb or bean) and L33	12	<u>L34</u>
<u>L33</u>	L31 and L32	76	<u>L33</u>
<u>L32</u>	resources near availabl\$4	21099	<u>L32</u>
<u>L31</u>	L26 and L30	762	<u>L31</u>
<u>L30</u>	function\$2 near (ejb or bean or object)	11721	<u>L30</u>
<u>L29</u>	L26 and L28	100	<u>L29</u>
<u>L28</u>	(((return near handler) or pointer or reference) with (bean or ejb))	2131	<u>L28</u>
<u>L27</u>	L22 and L26	67	<u>L27</u>
<u>L26</u>	L23 or L24 or L25	24260	<u>L26</u>
<u>L25</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z).ccls.	23476	<u>L25</u>
<u>L24</u>	(717/101 717/102 717/103).ccls.	445	<u>L24</u>
<u>L23</u>	(719/330).ccls.	399	<u>L23</u>
<u>L22</u>	((ejb or bean) and (available near resources))	608	<u>L22</u>
<u>L21</u>	((ejb or bean) with resources)	507	<u>L21</u>
<u>L20</u>	((number near bean) with resources)	2	<u>L20</u>
<u>L19</u>	function\$2 near ejb	29	<u>L19</u>
<u>L18</u>	@pd<20000720 and L15	44	<u>L18</u>
<u>L17</u>	(modif\$6 or customiz\$5) near bean with handle	0	<u>L17</u>
<u>L16</u>	L6 and L15	0	<u>L16</u>
<u>L15</u>	(modif\$6 or customiz\$5) near bean	125	<u>L15</u>
<u>L14</u>	bean near manager and L6	9	<u>L14</u>
<u>L13</u>	L6 and L12	4	<u>L13</u>
<u>L12</u>	(enterprise or entity) near bean	596	<u>L12</u>
<u>L11</u>	L4 and L10	31	<u>L11</u>
<u>L10</u>	L6 and L9	111	<u>L10</u>
<u>L9</u>	mts or microsoft near transaction\$2 near service	98422	<u>L9</u>
L8	((get\$4 or return\$3) near handle) with bean	10	L8

<u>L7</u>	L4 and L6	34	<u>L7</u>
<u>L6</u>	((get\$4 or return\$3) near handle)	7101	<u>L6</u>
<u>L5</u>	((get\$4 or rteurn\$3) near handle)	776	<u>L5</u>
<u>L4</u>	transaction\$2 near persisten\$2	345	<u>L4</u>
<u>L3</u>	11 or L2	15543	<u>L3</u>
<u>L2</u>	705/1-10,35,42.ccls.	15405	<u>L2</u>
<u>L1</u>	719/311.ccls.	139	<u>L1</u>

END OF SEARCH HISTORY